# Q SC POSTERIOR LUMBAR MINIMALLY INVASIVE FIXATION PLATFORM

PICASSO II™ percutaneous polyaxial screws are designed with simplicity in mind. Made for true percutaneous implantation, they allow for complete pedicle stabilization while minimizing tissue disruption.

Slim integrated tower sleeve provides stability and control during insertion and reduction Stability ring prevents splay during implantation, reduction and set screw insertion Laser scored and tapered housing provides a clean break every time 6.0 percutaneous rod available in straight and curved, and designed with a bulleted tip, which allows for smooth insertion

25mm of internal threads aid in rod reduction

Dual lead polyaxial screw with an angulation of ± 36°

rethink what's possible®

## PICASSO II<sup>™</sup> MIS Screw: 5.5 Diameter

Pa	art Number	Color	Length (mm)
	119.1535	Green	35
	119.1540	Green	40
	119.1545	Green	45
	119.1550	Green	
	119.1555	Green	55
	119.1550	Green	

## PICASSO II<sup>TM</sup> MIS Screw: 6.5 Diameter

Part Number	Color	Length (mm)
119.1635	Gold	35
119.1640	Gold	40
119.1645	Gold	45
119.1650	Gold	
119.1655	Gold	55

### PICASSO II<sup>™</sup> MIS Screw: 7.5 Diameter

Part Number	Color	Length (mm)
119.1735	Purple	35
119.1740	Purple	40
119.1745	Purple	45
119.1750	Purple	
119.1755	Purple	55

#### PICASSO II™ Curved Rod: 6.0 Diameter

Р	art Number	Length (mm)
	116.3035	35
	116.3040	
	116.3045	45
	116.3050	
	116.3055	55
	116.3060	60-
	116.3065	65
	116.3070	70
	116.3075	75
	116.3080	80
	116.3085	85
	116.3090	90
	116.3095	95
	116.3100	100
	116.3110	110
	116.3120	120
	116.3130	130
	116.3140	140
	116.3150	150
		*Straight rode available upon request

\*Straight rods available upon request



©2024 CTL Medical Corporation (d/b/a: CTL Amedica). All rights reserved. 2052 McKenzie Drive, Building 1, Carrollton, TX 75006 P: 214-545-5820 | E: info@ctlmed.com | www.ctlamedica.com OVR.PICASSO.20200826